BBA

Molecular Cell Research
including Signal Transduction
Vol. 1175, No. 3; 17 February 1993

Cumulative Contents

Regular Section

Regular Papers

Polarized secretion of plasminogen activators by epithelial cell monolayers
R. Canipari, C. Zurzolo, C. Polistina, C. Garbi, L. Aloj, G. Calì, R. Gentile and L. Nitsch (Italy) 1

Dictyostelium myosin II heavy-chain kinase A is activated by heparin, DNA and acidic phospholipids and inhibited by polylysine, polyarginine and histones
Q.G. Medley, W.L. Bagshaw, T. Truong and G.P. Côté (Canada) 7

Glycine, a new regulator of glutamine metabolism in isolated rat-liver cells
N. Vincent, G. Martin and G. Baverel (France) 13

Polyamine metabolism in enterocytes isolated from newborn pigs
F. Blachier, H. M'Rabet-Touil, L. Posho, M.-T. Morel, F. Bernard, B. Darcy-Vrillon and P.-H. Duée (France) 21

Ion transport across the epithelium of the rabbit caecum
K.T.G. Ferreira, P.L. Fernandes and H.G. Ferreira (Portugal) 27

Participation of calpain I activation in the ATP release reaction of platelets stimulated with thrombin
H. Ishii, Y. Suzuki, S. Horie, M. Nakagawa and M. Kazama (Japan) 37

Subsection

Minireview

The sulfonylurea receptor
S.J.H. Ashcroft and F.M. Ashcroft (UK) 45

Regular Papers

Three types of Giα protein of the guinea-pig lung: cDNA cloning and analysis of their tissue distribution
C. Sakanaka, T. Izumi, M. Nakamura, Z.-i. Honda, T. Watanabe, M. Minami, H. Mutoh, H. Bito, Y. Seyama, M. Ui and T. Shimizu (Japan) 61

A site-directed antibody that inhibits phosphorylation of the rat-brain sodium channel by cyclic-AMP-dependent protein kinase
H. Nakayama, H. Shikano and Y. Kanaoka (Japan) 67

Antiprogestin ZK-98.299 and progesterone display differential binding characteristics in the human myometrial cytosol
A. D'souza, I.N. Hinduja and C.P. Puri (India) 73

Down-regulation of protein kinase C potentiates atrial natriuretic peptide-stimulated cGMP accumulation in vascular smooth-muscle cells
J.-i. Kawabe, Y. Ohsaki and S. Onodera (Japan) 81

Cooperative effects of ethanol and protein kinase C activators on phospholipase-D-mediated hydrolysis of phosphatidylethanolamine in NIH 3T3 fibroblasts
Z. Kiss (USA) 88

Development of fibroblast-type-II cell communications in fetal rabbit lung organ culture
H.C. Nielsen, C.K. Kellogg and C.A. Doyle (USA) 95

Insulin decreases chylomicron production in human fetal small intestine
N. Loirdighi, D. Ménard and E. Levy (Canada) 100

Regulation of mitochondrial glycerol-phosphate dehydrogenase by Ca^{2+} within electropermeabilized insulin-secreting cells (INS-1)
G.A. Rutter, W.-F. Pralong and C.B. Wollheim (Switzerland) 107

Caffeine promotes survival of cultured sympathetic neurons deprived of nerve growth factor through a cAMP-dependent mechanism
S. Tanaka and T. Koike (Japan) 114

Effects of androgen on α- and β-adrenergic receptors in membranes from the rat seminal vesicle
S. Shima (Japan) 123

Rapid Report

Transcobalamin II – cobalamin binding sites are present on rabbit germ cells
E. Boukhzer, A. Ennya, F. Felden, A. Gérard, E. Nexø, J.P. Nicolas, H. Gérard and J.L. Guéant (France, Denmark) 128

Regular Section

Regular Papers

Relationship between cellular ATP, potassium, sodium and magnesium concentrations in mammalian and avian erythrocytes
A. Miseta, P. Bogner, E. Berényi, M. Kellermayer, C. Galambos, D.N. Wheatley and I.L. Cameron (Hungary, UK, USA) 133

Identification of heterotrimeric and low molecular weight GTP-binding proteins in rabbit skeletal muscle longitudinal sarcoplasmic reticulum
H. Kutchai, L.M. Geddis and A.S. Otero (USA) 140

Topoisomerase inhibitors induce apoptosis in thymocytes
Y. Onishi, Y. Azuma, Y. Sato, Y. Mizuno, T. Tadakuma and H. Kizaki (Japan) 147

Strontium and barium induce exocytosis in electropermeabilized neutrophils
G.J.J.C. Boonen, J. VanSteveninck and J.G.R. Elferink (Netherlands) 155

A simple model for alanine metabolism in isolated rat hepatocytes
G. Martin, N. Vincent, J. Combet and G. Baverel (France) 161

Stimulatory effect of phospholipase A_2 treatment on glucose utilization in human erythrocytes
I. Miwa, Y.-J. Duan, S. Murase, H. Fukatsu, A. Tamura and J. Okuda (Japan) 174

Bovine lens epithelial cells have a ubiquitin-dependent proteolysis system
L.L. Huang, J. Jahngen-Hodge and A. Taylor (USA) 181

Rapid Report

Effects of okadaic acid on insulin secretion from rat islets of Langerhans
H. Ratcliff and P.M. Jones (UK) 188

Subsection

Regular Papers

Phosphorylation of serine 2843 in ryanodine receptor-calcium release channel of skeletal muscle by cAMP-, cGMP- and CaM-dependent protein kinase
J. Suko, I. Maurer-Fogy, B. Plank, O. Bertel, W. Wyskovsky, M. Hohenegger and G. Hellmann (Austria) 193

Activation and priming of the human neutrophil oxidase response by substance P: distinct signal transduction pathways
D. Lloyds and M.B. Hallett (UK) 207

Non-additivity of adrenaline and galanin effects on ^{86}Rb efflux and membrane potential in mouse B-cells suggests sharing of common targets
G. Drews, P. Detimary and J.-C. Henquin (Belgium) 214

Characterization of phosphatidic acid phosphohydrolase in neutrophil subcellular fractions
G.S. Taylor, A. Ladd, J.E. James, B. Greene and D. English (USA) 219

CIS-19, a novel platelet activating factor receptor antagonist: in vitro and in vivo studies
F.-N. Ko, S.-M. Yu, I.-S. Chen, Hisahi-Ishii, Y.-L. Chang, T.-F. Huang and C.-M. Teng (Taiwan, Japan) 225

Ligand binding, internalization, degradation and regulation by guanine nucleotides of bombesin receptor subtypes: a comparative study
L.-H. Wang, S.A. Mantey, J.-T. Lin, H. Frucht and R.T. Jensen (USA) 232

Regular Section

Regular Papers

Increase in the level of m-calpain correlates with the elevated cleavage of filamin during myogenic differentiation of embryonic muscle cells
K.B. Kwak, S.S. Chung, O.-M. Kim, M.-S. Kang, D.B. Ha and C.H. Chung (South Korea) 243

Direct gastrin action on isolated rat parietal cells induces morphological transformations
Z.-Q. Li, J.L. Cabero, B.O. Nilsson and S. Mårdh (Sweden) 250

Responses to heat shock of αB crystallin and HSP28 in U373 MG human glioma cells
K. Kato, S. Goto, K. Hasegawa, H. Shinohara and Y. Inaguma (Japan) 257

Intracellular calcium mobilization in rat platelets is adversely affected by copper deficiency
W.T. Johnson and S.N. Dufault (USA) 263

Effect of palmitate concentration on the relative contributions of the β-oxidation pathway and citric acid cycle to total O_2 consumption of isolated rat hepatocytes
D.C. Henly and M.N. Berry (Australia) 269

Increased accumulation of drugs in a multidrug resistant cell line by alteration of membrane biophysical properties
R. Callaghan, A. Stafford and R.M. Epand (Canada) 277

Aldose reductase is involved in long-term adaptation of EUE cells to hyperosmotic stress
A. Ferraretto, A. Negri, A. Giuliani, L. De Grada, A.M. Fuhrman Conti and S. Ronchi (Italy) 283

An inhibitor of inositol-phospholipid-specific phospholipase C
H. Ogawara, K. Higashi, S. Manita, M. Hidaka, H. Kato and T. Takenawa (Japan) 289

Sodium nitroprusside inhibits glucose-induced insulin release by activating ATP-sensitive K^+ channels
M.-H. Antoine, M. Hermann, A. Herchuelz and P. Lebrun (Belgium) 293

Rapid Report

The synthesis of IL-1 receptor antagonist (IL-1ra) by synovial fibroblasts is markedly increased by the cytokines TNF-α and IL-1
J. Martel-Pelletier, R. McCollum and J.-P. Pelletier (Canada) 302

Subsection

Regular Papers

Comparison of Ins(1,4,5)P_3 receptors from rat cerebellum and bovine adrenal cortex
A.M. White, M.A. Varney, N. Maeda, K. Mikoshiba and S.P. Watson (UK, Japan) 307

Adenosine inhibits fMLP-stimulated adherence and superoxide anion generation by human neutrophils at an early step in signal transduction
T.H. Burkey and R.O. Webster (USA) 312

Phosphorylation of the porcine skeletal and cardiac muscle sarcoplasmic reticulum ryanodine receptor
M.A. Strand, C.F. Louis and J.R. Mickelson (USA) 319

Stimulation of adult rat ventricular myocyte protein synthesis and phosphoinositide hydrolysis by the endothelins
P.H. Sugden, S.J. Fuller, J.R. Mynett, R.J. Hatchett IV, M.A. Bogoyevitch and M.C. Sugden (UK) 327

Mutations on ^{170}Glu, a substrate recognition residue in mouse cAMP-dependent protein kinase, generate enzymes with altered substrate affinity and biological functions
T. Tomoda, T. Murata, K.-i. Arai and M.-a. Muramatsu (Japan) 333

Functional interaction of prostaglandin E receptor EP_3 subtype with guanine nucleotide-binding proteins, showing low-affinity ligand binding
M. Negishi, Y. Sugimoto, Y. Hayashi, T. Namba, A. Honda, A. Watabe, S. Narumiya and A. Ichikawa (Japan) 343

Characteristics of arachidonic-acid-mediated brain protein kinase C activation: evidence for concentration-dependent heterogeneity
X.P. Huang, C.D. Silva, X.T. Fan and M. Castagna (France) 351

Cumulative Contents, Vol. 1175 357

Author Index 360